







## Infrared ceramic plate specification

<b>SH2GT</b> 46.5x133		<b>Materials:</b> Cordierite <b>CO Discharged:</b> <0.06 <b>Temperature softening:</b> 1230°C <b>Open Porosity:</b> 61% <b>Air consumption:</b> 0.13kg/h <b>Weight:</b> 0.05kg/sheet	W46.5mmxL133mmxH13mm
<b>SL2WT</b> 46.5x133		<b>Materials:</b> Cordierite <b>CO Discharged:</b> <0.06 <b>Temperature softening:</b> 1230°C <b>Open Porosity:</b> 61% <b>Air consumption:</b> 0.13kg/h <b>Weight:</b> 0.051kg/sheet	W46.5mmxL133mmxH13mm
<b>SM2YT</b> 46.5x133		<b>Materials:</b> Cordierite <b>CO Discharged:</b> <0.06 <b>Temperature softening:</b> 1230°C <b>Open Porosity:</b> 61% <b>Air consumption:</b> 0.13kg/h <b>Weight:</b> 0.055kg/sheet	W46.5mmxL133mmxH13mm
<b>SMYT68 68x133</b>		<b>Materials:</b> Cordierite <b>CO Discharged:</b> <0.06 <b>Temperature softening:</b> 1230°C <b>Open Porosity:</b> 61% <b>Air consumption:</b> 0.13kg/h <b>Weight:</b> 0.08kg/sheet	W68mmxL133mmxH13mm
<b>SMYU68 68x13</b>		<b>Materials:</b> Cordierite <b>CO Discharged:</b> <0.06 <b>Temperature softening:</b> 1230°C <b>Open Porosity:</b> 61% <b>Air consumption:</b> 0.13kg/h <b>Weight:</b> 0.09kg/sheet	W68mmxL133mmxH13mm
<b>SLWT78 78x136</b>		<b>Materials:</b> Cordierite <b>CO Discharged:</b> <0.06 <b>Temperature softening:</b> 1130°C <b>Open Porosity:</b> 61% <b>Air consumption:</b> 0.13kg/h <b>Weight:</b> 0.095kg/shee	W78mmxL136mmxH13mm









**บริษัท เอบี เฟอเรนส จำกัด**  
**ABB FURNACE CO., LTD**

ที่อยู่: 56 ม.7 ซ.บรมราชชนนี 70 ถ.บรมราชชนนี ศาลาธรรมสพน์ ทวีวัฒนา กทม.10170.

Tel: 02-888-3472 Mobile:08-08-170-170 Fax: 02-888-3258

http://www.abb-furnace.com E-mail: sales@abb-furnace.com

SMYT78 78x136		<b>Materials:</b> Cordierite <b>CO Discharged:</b> <0.06 <b>Temperature softening:</b> 1230°C <b>Open Porosity:</b> 61% <b>Air consumption:</b> 0.13kg/h <b>Weight:</b> 0.13kg/sheet	W78mmxL136mmxH13mm
SLWT 93x132		<b>Materials:</b> Cordierite <b>CO Discharged:</b> <0.06 <b>Temperature softening:</b> 1230°C <b>Open Porosity:</b> 61% <b>Air consumption:</b> 0.13kg/h <b>Weight:</b> 0.125kg/sheet	W93mmxL132mmxH13mm
SMYT 93x132		<b>Materials:</b> Cordierite <b>CO Discharged:</b> <0.06 <b>Temperature softening:</b> 1230°C <b>Open Porosity:</b> 61% <b>Air consumption:</b> 0.13kg/h <b>Weight:</b> 0.25kg/sheet	W93mmxL132mmxH13mm
SLWT 93x133		<b>Materials:</b> Cordierite <b>CO Discharged:</b> <0.06 <b>Temperature softening:</b> 1230°C <b>Open Porosity:</b> 61% <b>Air consumption:</b> 0.13kg/h <b>Weight:</b> 0.09kg/sheet	W93mmxL133mmxH13mm
SMYT 93x133		<b>Materials:</b> Cordierite <b>CO Discharged:</b> <0.06 <b>Temperature softening:</b> 1230°C <b>Open Porosity:</b> 61% <b>Air consumption:</b> 0.13kg/h <b>Weight:</b>	W93mmxL133xH13mm
SHGT+ 100x140		<b>Materials:</b> Cordierite <b>CO Discharged:</b> <0.06 <b>Temperature softening:</b> 1230°C <b>Open Porosity:</b> 61% <b>Air consumption:</b> 0.13kg/h <b>Weight:</b>	W100mmxL140xH13mm




**บริษัท เอบี เฟอเรนส จำกัด**  
**ABB FURNACE CO., LTD**

ที่อยู่: 56 ม.7 ซ.บรมราชชนนี 70 ถ.บรมราชชนนี ศาลาธรรมสพน์ ทวีวัฒนา กทม.10170.

Tel: 02-888-3472 Mobile:08-08-170-170 Fax: 02-888-3258

<http://www.abb-furnace.com> E-mail: [sales@abb-furnace.com](mailto:sales@abb-furnace.com)

SMYT 140x200		<b>Materials:</b> Cordierite <b>CO Discharged:</b> <0.06 <b>Temperature softening:</b> 1230°C <b>Open Porosity:</b> 61% <b>Air consumption:</b> 0.13kg/h <b>Weight:</b>	W140mmxL200xH13mm
RB8 100		<b>Materials:</b> Cordierite <b>CO Discharged:</b> <b>Temperature softening:</b> <b>Open Porosity:</b> <b>Air consumption:</b> <b>Weight:</b>	Φ 100mm
RG3 116		<b>Materials:</b> Cordierite <b>CO Discharged:</b> <b>Temperature softening:</b> <b>Open Porosity:</b> <b>Air consumption:</b> <b>Weight:</b>	Φ 116mm
RGX 129		<b>Materials:</b> <b>CO Discharged:</b> <b>Temperature softening:</b> <b>Open Porosity:</b> <b>Air consumption:</b> <b>Weight:</b>	Φ 129mm
RG8 135		<b>Materials:</b> <b>CO Discharged:</b> <b>Temperature softening:</b> <b>Open Porosity:</b> <b>Air consumption:</b> <b>Weight:</b>	Φ 135mm
RG8 150		<b>Materials:</b> <b>CO Discharged:</b> <b>Temperature softening:</b> <b>Open Porosity:</b> <b>Air consumption:</b> <b>Weight:</b>	Φ 150mm






**บริษัท เอบี เฟอเรนส จำกัด**  
**ABB FURNACE CO., LTD**

ที่อยู่: 56 ม.7 ซ.บรมราชชนนี 70 ถ.บรมราชชนนี ศาลาธรรมสพน์ ทวีวัฒนา กทม.10170.

Tel: 02-888-3472 Mobile:08-08-170-170 Fax: 02-888-3258

<http://www.abb-furnace.com> E-mail: [sales@abb-furnace.com](mailto:sales@abb-furnace.com)

## Honeycomb Ceramic Plate Specifications

RGT 158		<p><b>Materials:</b></p> <p><b>CO Discharged:</b></p> <p><b>Temperature softening:</b></p> <p><b>Open Porosity:</b></p> <p><b>Air consumption:</b></p> <p><b>Weight:</b></p>	Φ 158mm
RSG3 162		<p><b>Materials:</b></p> <p><b>CO Discharged:</b></p> <p><b>Temperature softening:</b></p> <p><b>Open Porosity:</b></p> <p><b>Air consumption:</b></p> <p><b>Weight:</b></p>	Φ 162mm
RSG3 168		<p><b>Materials:</b></p> <p><b>CO Discharged:</b></p> <p><b>Temperature softening:</b></p> <p><b>Open Porosity:</b></p> <p><b>Air consumption:</b></p> <p><b>Weight:</b></p>	Φ 168mm



**บริษัท เอบีพี เฟอร์เนส จำกัด**  
**ABB FURNACE CO., LTD**

ที่อยู่: 56 ม.7 ซ.บรมราชชนนี 70 ถ.บรมราชชนนี ศาลาธรรมสพน์ ทวีวัฒนา กทม.10170.

Tel: 02-888-3472 Mobile:08-08-170-170 Fax: 02-888-3258

http://www.abb-furnace.com E-mail: sales@abb-furnace.com